



EUROSANEX, S.L.

Pol. Ind. Castilla · Vial 2 - Vial 5
46380 Cheste (Valencia) · Spain
Tel. +34 962 510 407
Fax +34 962 512 521
correo@eurosanex.com
www.eurosanex.com

Data sheet

ANTIESPUMANTE

Antifoam

CHARACTERISTICS

Special formulation as a foam controlling agent, is used to control foam in many industrial processes. Easy to use, water soluble and effective in a wide temperature range. It is active at very low dosage, quickly breaking and preventing foam formation.

HOW TO USE

For best performance of the product it's recommended to dilute it with water at the time of use in a proportion of 15-20 %, then proceed to its addition to defoaming the desired product in doses ranging between 0.03 to 0.05 %.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Opaque liquid
Colour	White
Odour	Odourless
pH (10%)	Non-applicable
Density (20°C)	1000 kg/m ³
Solubility	Soluble in water

PRESENTATION CONATINER

5 litres container

PRECAUTION

Supplementary information: EUH208: Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction. EUH210: Safety data sheet available on request. Do not ingest. Keep out of the reach of children. In case of accident, consult to the Medical Service of Toxicological Information Tel. 0034 915620420

ADDITIONAL INFORMATION

While the above information is correct to our criteria, as the conditions of use of the product are beyond our control, we disclaim any responsibility for incorrect use of the product.