

EUROSANEX, S.L.

Pol. Ind. Castilla · Vial 2 · Vial 5 46380 Cheste (Valencia) · Spain Tel. +34 962 510 407 Fax +34 962 512 521 correo@eurosanex.com www.eurosanex.com Data sheet

SANEXMATIC

Insecticide spray

CHARACTERISTICS

Pressure spray containing a high quality insecticidal formulation with high repelling and flipping action for flying insects. It acts by ingestion and contact. It has a wide spectrum of action, being especially effective against insects typical of the domestic environment (flies, mosquitoes, wasps, etc.).

HOW TO USE

The load dispenses a dose of insecticide with each pulsation thanks to the system of valve that incorporates. Do not use in the presence of people and / or pets. Do not spray on food or kitchen utensils. It cannot be applied to surfaces where food is handled, prepared, or used or consumed. Ventilate properly before entering the room where the application is made. Recommended period of safety for environmental use: 12 hours. It complies directive 75/324/CEE Aerosol generators. Inadvisable use: It should not be applied with automatic dosing dispenser continuously or discontinuously, nor use dosing valves that allow periodic spraying over time.

Pesticides Registration number: 17-30-03804

PHYSICAL AND CHEMICAL PROPERTIES

Appearance Oily aerosol liquid

Colour Yellowish
Density (20°C) 897 kg/m³
Flash point: 50 °C

Water solubility Soluble in organic solvents

PRESENTATION

350 ml Spray

PRECAUTION

Danger





Hazard indications: Aquatic Chronic 1 H410: Very toxic to aquatic life with long-lasting effect. Aerosol 1: H229: Pressurized container: may burst if heated Aerosol 1: H222: Extremely flammable aerosol. EUH066: Repeated exposure may cause skin dryness or cracking.

Cautionary advice: P211: Do not spray on an open flame or other ignition source. P273: Avoid release to the environment.P391: Collect spillage. P501: Dispose of contents/container in accordance with local/regional/national/international regulation Supplementary information: Read the label carefully before using the product. Protect from sunlight and avoid exposing it to temperatures above 50 °C. Do not pierce or burn, even after use. Do not vaporize into a flame or incandescent body. Keep away from sources of ignition flame. No Smoking. In case of accident, consult the Medical Service of Toxicological Information Tel. 915 620 420.

Substances that contribute to the classification: 2.11 % Tetramethrin, 15.85 % Piperonyl Butoxide and 100 % Aliphatic Solvent and Propellant s.g.

ADDITIONAL INFORMATION

While the above information is correct to our criteria, as the conditions of use of the product are beyond our control, we disclaim any responsibility for incorrect use of the product.